



Whether you prefer the traditional appeal of Masonite Classics", the authentic styling of Masonite Select" or the distinct lines of Masonite Expo", we make it easy to find your perfect door. It is all part of our commitment to creating quality products that enhance the beauty and functionality of your home.

Interior Doors at a Glance
Safe 'N Sound® Solid Core Doors
Molded Doorsp8
Commercial Doorsp19
Flush Series
Eco-Friendly Engineered Doorsp21
Barn Door Hardware
Design & Size Options










Interior Doors at a Glance



Combines the classic lines of a wood shaker door with the durability of molded panel engineering



Lincoln Park™ Logan[™] Winslow"

Embossed lines and minimalist designs that add sophistication & bold style through understatement



Berkley® Hamel® Melrose®

High-definition panels with deep, rich embossments and raised moulding impart an air of elegance to any space



Bellagio° Capri® Treviso°



Decorate with Doors

Add Color to Your Home with Masonite Molded Doors





Feature lines distinguish the architectural correctness of authentic stile & rail wood doors



Cheyenne° Riverside° Saddlebrook° The originals, these doors complement any décor with their simple, pleasing lines & familiar designs



2, 3, 4 and 6 Panel 2 Panel Roman

2 Panel Arch-Top

6 Panel Prefinished

Personalize your interior door to reflect your unique style.




SAFE 'N SOUND®

DURABLE I SOLID I ECO-FRIENDLY

Bring tranquility to your home with durable, solid core interior doors from Masonite.

Engineered to be environmentally friendly,

Safe 'n Sound Doors offer true peace of mind.







SURVEY SAYS...

When given a choice between Safe 'N Sound® or hollow core doors,

100% OF CUSTOMERS PREFER SAFE 'N SOUND.*

Ask your representative how to upgrade to a Safe 'N Sound door.

*Qualitative research conducted in 2013.



- **5-year** warranty
- Safe 'N Sound' doors quiet a home more than hollow core doors
- Offers the durability, heft & feel of real wood
- Solid core doors add more resale value to a home than standard hollow core doors
- 20-minute fire rated options with 1-3/4" thickness
- Green at Heart:


the core of our Safe 'N Sound door is engineered from wheat straw, an annually renewable resource





HERITAGE® SERIES





- Available in Safe 'N Sound*, see page 21 for details
- Emerald "green" specification offered for all styles with matching bifolds, see page 21 for details



HERITAGE® SERIES





WEST END COLLECTION®



WEST END COLLECTION®





E PALAZZO SERIES®










- European style raised panels with smooth surface, ready to paint
- Engineered with Masonite's Component Construction for maximum performance
- Resists warping, shrinking and cracking



MASONITE SELECT



CHEYENNE® | RIVERSIDE® | SADDLEBROOK®



- Feature lines distinguish architectural correctness of authentic stile & rail wood doors
- Available in Safe 'N Sound", see page 21 for details
- Emerald "green" specification offered for all styles with matching bifolds, see page 21 for details



MOLDED PANEL SERIES





2 PANEL SMOOTH ONLY



2 PANEL ROMAN SMOOTH ONLY



2 PANEL ARCH-TOP SMOOTH & TEXTURED



3 PANEL TEXTURED ONLY



4 PANEL SMOOTH ONLY



6 PANEL SMOOTH & TEXTURED





- Resists warping, shrinking and cracking
- Available in Safe 'N Sound', see page 21 for details
- Emerald "green" specification offered with matching bifolds, see page 21 for details



6P PREFINISHED





- Durable topcoat ensures a long-lasting finish
- Resists warping, shrinking and cracking better than solid wood doors
- Available in textured finished with matching bifolds












COMMERCIAL DOC

HEAVY DUTY | DURABLE | LOW MAINTENANCE



- Taller bottom rails & wider stiles for compatibility with commercial hardware
- Satisfies ADA requirements



all ADA requirements



all ADA requirements

FLUSH SERIES

BASIC | DURABLE | LOW MAINTENANCE



- Offers the beauty and refinement of an authentic woodgrain finish
- High-quality materials make doors easy to finish









BARN DOOR HARDWARE

TRENDY | INNOVATIVE | FUNCTIONAL



- Modern and rustic applications
- Easy install
- For use with solid core doors only









STRAIGHT STRAP
Stainless Steel

BENT STRAP Matte Black

TOP OF DOOR STRAP Stainless Steel

ECO-FRIENDLY ENGINEERED DOORS

SAFE 'N SOUND® & EMERALD "GREEN" DOORS

		· · · · · · · · · · · · · · · · · · ·			
		Safe n Sound EMERALD SOLID CORE DOORS	hollow	solid core doors	
_	een association & ertification cross reference	Molded Panel*	Molded Panel*	Flush Primed Hardboard	All Designs & Species (excluding Palazzo)
		1-3/8", 1-3/4" 1-3/4" 20-minute	1-3/8" Only	1-3/8" Only	1-3/8" Only
		GREEN A	TTRIBUTES		
	Pre-Consumer Recycled Content	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1
	Resource Efficient Materials	NAHB - 607.1	NAHB - 607.1	NAHB - 607.1	NAHB - 607.1
	Rapidly Renewable Materials	LEED NC - MR 6.0; NAHB 606.1			LEED NC - MR 6.0; NAHB 606.1
900	Environmentally Preferred Products / Low Emissions Adhesives and Sealants	LEED H - MR 2.2	LEED H - MR 2.2	LEED H - MR 2.2	LEED H - MR 2.2
96	CARB 93120 Compliant (California Air Resources Board)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	**
1	Extremely Low VOC Emissions	NAHB - 901.4, CARB 93120 ULEF	NAHB - 901.4, CARB 93120 ULEF	NAHB - 901.4, CARB 93120 ULEF	
1	No Added Urea-Formaldehyde (NAUF)	LEED NC EQ 4.4; NAHB 901.4	LEED NC EQ 4.4; NAHB 901.4	LEED NC EQ 4.4; NAHB 901.4	
FSC	FSC° Certified Wood (Forest Stewardship Council)	LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2		LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2	
		PERFOR	RMANCE		
	Made with sound-reducing solid core	✓			✓
Co	Offers heft & feel of solid wood	✓			✓
	Ready to paint & decorate	✓	✓	✓	✓

^{*}Not all designs are available in Emerald offering, contact Masonite for the complete product offering

The above referenced certifications are based on the following versions: LEED NC - 3.0 / LEED H - 2008 / NAHB - 2008.

For technical specification information, visit www.masonite.com or contact us at 800-663-DOOR (3667).

FSC° Trademark License Code: FSC-C014860

TECHNICAL & SUPPORT INFORMATION ON GREEN.

- This product contributes to satisfying the credits of the U.S. Green Building Council's LEED" Green Building Rating System". For current applicable LEED* standards, visit www.usgbc.org.
- For more information on the NAHB National Green Building Program", visit www.nahb.org.
- Evaluations of the Green Certifications are provided as a courtesy for Masonite customers, further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- USGBC* and LEED* are registered trademarks of the U.S. Green Building Council.

^{**}Safe 'N Sound doors which meet CARB Phase 2 are available in many areas of the country.

DESIGN & SIZE OPTIONS

								РΑ	SSA	GE	E								BI	FOL	DS			
		PALAZZO SERIES®	12"	14"	15"	16"	18"		24"		28"	30"	32"	34"	36"	18"	24"	28"		_	36"	48"	60"	72"
	BELLAGIO	O° (2 ARCHED PANELS)											<u>-</u>						00	02				, =
		smooth 80"																				•*	•*	•*
		smooth 84"																				•*	.*	.*
		smooth 96"																				•*	*	.*
	CAPDI®	(2 SQUARE PANELS)																						
	CAIRI	smooth 80"																				•*	•*	.*
		smooth 84"																				•*	*	.*
		smooth 96"																				.*	*	*
		REVISO° (3 PANELS)																						
		smooth 80"																				•*	.*	.*
		smooth 84"																				•*	*	.*
		smooth 96"																				.*	.*	.*
		311100111 70	_			•								* Th	.000 [)alaz	70 hi	fold	o oro	chir	nod	an t		ınito
														- ''	iese F	diaz	wo u	JI 1115.						
ш.	WEST	END COLLECTIONS	1.01	2.48	2.51	7.71	1.01		SSA		001	001	001	0.41	0.411	7.01	0.411	001		OL		401	(0)	70"
	WEST	END COLLECTION®	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	/2"
		BERKLEY*																						
2		smooth 80"	• ^	• *	• *	• **	• *	• *	•	•	•	•	•	•	•		•		•		•			
MASONITE EXPO		smooth 84"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	٠	•		•		•		•			
		HAMEL [™]																						
員		smooth 80"							•		•				•						•			
SO		smooth 84"																						
Σ																								
		MELROSE°					_																	
		smooth 80"	• ^	• *	• *	• *	• *	• *	•	٠	٠	•	•	•	•	•	٠		٠		•			
		smooth 84"	•*	•*	•*	•*	•*	•*	•	•	٠	•	•	•	•	•	٠		٠		٠			
								DΛ	SSA	GF									RII	FOL	פת			
								. 11 / 12	907	<u> </u>		0.01	0.011						- 11	O L				
		HERITAGE® SERIES	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
	LINCO	HERITAGE® SERIES LN PARK® (1 PANEL)	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
		LN PARK" (1 PANEL) smooth 80"	12"	•	15"	•	18"	•	•	•	•	•	•	•	36"	18"	•	28"	30"	32"	36"	48"	60"	•
	Commerc	smooth 80"	•	•		•		•	•	•	•	•	•	•	•	18"	•	28"	30"	32"	•		•	•
		smooth 80" cial smooth 84"	•	•				20"			•	•	•	•		18"	•	28"	30"	32"		•	60"	•
	Commercial 10" Bottom	smooth 80" smooth 84" smooth 96"		•					•	•	•		•		•	18"	•	28"	•	32"			•	•
	Commercial 10" Bottom	smooth 80" smooth 84" smooth 96" smooth 96"		•		•				•	•	•	•	•	•	18"	•	28"	•	32"		•	•	•
	Commerce 10" Bottom	smooth 80" smooth 84" smooth 96" LOGAN" (2 PANELS) smooth 80" smooth 80"		•		•			•	•	•		•		•	18"	•	28"	•	32"	•	•	•	
	Commer 10" Bottom	smooth 80" smooth 84" smooth 96" LOGAN" (2 PANELS) smooth 80" smooth 80" smooth 80" smooth 80" smooth 80"		•		•	•		•			•	•		•	18"	•	28"	•	32"	•	*	•	
	Commerce 10" Bottom	smooth 80" smooth 84" smooth 96" LOGAN" (2 PANELS) smooth 80" smooth 80"		•	•	•	•	•	•	* * * * * * * * * * * * * * * * * * * *	•	•	•	•		18"	•	28"	•	32"	•	•	•	
	Commerr 10" Bottom	smooth 80" smooth 84" smooth 96" LOGAN" (2 PANELS) smooth 80" smooth 80" smooth 80" smooth 80" smooth 80"		•	•	•	•	•	•		•	•	•	•	•	18"	•	28"	* * * * * * * * * * * * * * * * * * * *	32"	•		•	•
	Commerce 10" Bottom Commerce 10" Bottom WI	LN PARK" (1 PANEL) smooth 80" smooth 84" smooth 96" LOGAN" (2 PANELS) smooth 80" cial n Rail smooth 84" smooth 96" NSLOW" (3 PANELS)		•			•	•		26"	•	•	•	•		18"		28"		32"	•	•		
	Commerr 10" Bottom	LN PARK" (1 PANEL) smooth 80" smooth 84" smooth 96" LOGAN" (2 PANELS) smooth 80" cial Rail smooth 84" smooth 96" NSLOW" (3 PANELS)					•			26"		•	•	•	•	18"		28"		32"				
	Commerc 10" Bottom Commerc 10" Bottom WI	LN PARK" (1 PANEL) smooth 80" smooth 84" smooth 96" LOGAN" (2 PANELS) smooth 80" cial Rail smooth 84" smooth 96" NSLOW" (3 PANELS) smooth 80"								26"		•	•			18"		28"		32"				
	Commerc 10" Bottom Commerc 10" Bottom WI	LN PARK" (1 PANEL) smooth 80" smooth 84" smooth 96" LOGAN" (2 PANELS) smooth 80" cial Rail smooth 84" smooth 96" NSLOW" (3 PANELS)					•		·	·	•			•		18"			· · · · · · · · · · · · · · · · · · ·	FOL				
	Commerc 10" Bottom Commerc 10" Bottom WI	LN PARK* (1 PANEL) smooth 80" smooth 84" smooth 96" LOGAN* (2 PANELS) smooth 80" cial smooth 84" smooth 96" NSLOW* (3 PANELS) smooth 80" cial smooth 80" smooth 80" smooth 80" smooth 80"					•		·	·	•					18"		28"	· · · · · · · · · · · · · · · · · · ·	FOL				
	Commercial	LN PARK" (1 PANEL) smooth 80" smooth 84" smooth 96" LOGAN" (2 PANELS) smooth 80" cial Rail smooth 84" smooth 96" NSLOW" (3 PANELS)					•		·	·	•								· · · · · · · · · · · · · · · · · · ·	FOL				
	Commerci 10" Bottom WI Commerci 10" Bottom WI Bottom	LN PARK* (1 PANEL) smooth 80" smooth 84" smooth 96" LOGAN* (2 PANELS) smooth 80" cial smooth 84" smooth 96" NSLOW* (3 PANELS) smooth 80" cial smooth 80" smooth 80" smooth 80" smooth 80"					•		·	·	•								· · · · · · · · · · · · · · · · · · ·	FOL				
	Commerci 10" Bottom WI Commerci 10" Bottom WI Bottom	LN PARK* (1 PANEL) smooth 80" smooth 84" smooth 96" LOGAN* (2 PANELS) smooth 80" smooth 84" smooth 96" NSLOW* (3 PANELS) smooth 80" smooth 80" CHEYENNE* smooth 80"					•		·	·	•								· · · · · · · · · · · · · · · · · · ·	FOL				
-LO:	Commercial	LN PARK* (1 PANEL) smooth 80" smooth 84" smooth 96" LOGAN* (2 PANELS) smooth 80" smooth 84" smooth 96" NSLOW* (3 PANELS) smooth 80" smooth 80" smooth 84" CHEYENNE* smooth 80" smooth 80"					•		·	·	•								· · · · · · · · · · · · · · · · · · ·	FOL				
SELECT"	Commerci 10" Bottom WI Commerci 10" Bottom WI Bottom	LN PARK* (1 PANEL) smooth 80" smooth 96" LOGAN* (2 PANELS) smooth 80" smooth 80" smooth 84" smooth 96" NSLOW* (3 PANELS) smooth 80"					•		·	·	•								· · · · · · · · · · · · · · · · · · ·	FOL				
TE SELECT"	Commerci 10" Bottom WI Commerci 10" Bottom WI Bottom	LN PARK* (1 PANEL) smooth 80" smooth 96" LOGAN* (2 PANELS) smooth 80" smooth 80" smooth 96" NSLOW* (3 PANELS) smooth 80" smooth 80" smooth 80" cial a Rail smooth 80"					•		·	·	•								· · · · · · · · · · · · · · · · · · ·	FOL				
ONITE SELECT"	Commerci 10" Bottom WI Commerci 10" Bottom WI Bottom	LN PARK* (1 PANEL) smooth 80" smooth 96" LOGAN* (2 PANELS) smooth 80" smooth 84" smooth 84" smooth 96" NSLOW* (3 PANELS) smooth 80" smooth 96"					•		·	·	•								· · · · · · · · · · · · · · · · · · ·	FOL				
ASONITE SELECT"	Commerci 10" Bottom WI Commerci 10" Bottom WI Bottom	LN PARK* (1 PANEL) smooth 80" smooth 84" smooth 96" LOGAN* (2 PANELS) smooth 80" smooth 84" smooth 96" NSLOW* (3 PANELS) smooth 80" smooth 80" smooth 80" smooth 80" smooth 80" smooth 96" RIVERSIDE* smooth 80" smooth 80" smooth 80" smooth 96"					•		·	·	•								· · · · · · · · · · · · · · · · · · ·	FOL				
MASONITE SELECT	Commerci 10" Bottom WI Commerci 10" Bottom WI Bottom	LN PARK* (1 PANEL) smooth 80" smooth 84" smooth 96" LOGAN* (2 PANELS) smooth 80" smooth 84" smooth 96" NSLOW* (3 PANELS) smooth 80" smooth 96" RIVERSIDE* smooth 80" smooth 80" smooth 96" SADDLEBROOK*					•		·	·	•								· · · · · · · · · · · · · · · · · · ·	FOL				
MASONITE SELECT	Commerci 10" Bottom WI Commerci 10" Bottom WI Bottom	LN PARK* (1 PANEL) smooth 80" smooth 84" smooth 96" LOGAN* (2 PANELS) smooth 80" smooth 84" smooth 96" NSLOW* (3 PANELS) smooth 80" smooth 80" smooth 80" smooth 80" smooth 80" smooth 96" RIVERSIDE* smooth 80" smooth 80" smooth 80" smooth 96"					•		·	·	•								· · · · · · · · · · · · · · · · · · ·	FOL				
MASONITE SELECT"	Commerci 10" Bottom WI Commerci 10" Bottom WI Bottom	LN PARK* (1 PANEL) smooth 80" smooth 84" smooth 96" LOGAN* (2 PANELS) smooth 80" smooth 84" smooth 96" NSLOW* (3 PANELS) smooth 80" smooth 96" RIVERSIDE* smooth 80" smooth 80" smooth 96" SADDLEBROOK*					•		·	·	•								· · · · · · · · · · · · · · · · · · ·	FOL				

			PASSAGE 12" 14" 15" 16" 18" 20" 24" 26" 28" 30" 32" 34" 36" 42"												BIFOLDS											
	MOLDED	PANEL SERIES	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	42"	16"	18"	24"	28"	30"	32"	36"	48"	60"	72
	2 PAN	NEL ARCH-TOP																								
		smooth 80"	•	٠	•	•	٠	•	•	٠	•	•	٠	٠	•			•	•	•	•	•	٠	٠	•	٠
		textured 80"	•	٠	•	•	٠	•	•	٠	•	•	٠	٠	•			•	•	•	•	•	٠	٠	•	٠
		smooth 84"	٠	٠	٠	•	•	•	٠	٠	٠	٠	٠	٠	٠			٠	٠	٠	٠	٠	٠	٠	•	٠
		smooth 96"	٠	٠	٠	•	•	•	٠	٠	٠	٠	٠	٠	٠			٠	٠	٠	٠	٠	٠	•	•	٠
	2 PANEL RO	MAN SMOOTH																								
		smooth 80"	•	٠	٠	•	٠	•	٠	٠	٠	•	٠	٠	٠			٠	٠	٠	٠	٠	٠	٠	•	•
		smooth 84"	•	•	٠	•	•	•	٠	٠	٠	•	٠	٠	٠			٠	٠	٠	٠	٠	٠	•	•	•
		smooth 96"					•	•	•	•	•	•	•	•	•						•	•	•		•	•
	2 PANEL RON	MAN SMOOTH																								
	— Commercial	smooth 80"										•	•		•											
	10" Bottom Rail	smooth 84"													•											
		2 PANEL																								
		smooth 80"	•	•	•			•	•		•		•		•			•	•	•	•		•		•	
		smooth 84"						•	٠		٠							٠		٠	٠	٠	٠			
		smooth 96"																								
		2 PANEL																								
	Commercial	smooth 80"																								
		smooth 84"										•	•	•	•											
		3 PANEL																								
		textured 80"	٠	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•		•	
ПП		4 PANEL																								
		smooth 80"	٠	•	٠	•	٠	٠	٠	٠	٠	•	٠	٠	٠			٠	•	٠	٠	•	٠	٠	•	•
		smooth 84"	٠	٠	٠	•	•	•	٠	٠	٠	٠	٠	٠	٠			٠	٠	٠	٠	٠	٠	٠	•	
ШШ		smooth 96"	٠	٠	٠	•	٠	٠	٠	٠	٠	٠	٠	٠	٠			٠	٠	٠	•	٠	٠	٠	•	
		6 PANEL																								
		smooth 80"	•	٠	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	
		textured 80"	•	•	٠	•	•	•	٠	٠	٠	•	•	٠	٠		٠	٠	•	٠	•	•	•	٠	•	
		smooth 84"	•	•	٠	•	•	•	٠	٠	•	•	•	٠	٠			٠	•	٠	•	•	•	٠	•	
		textured 84"	•	•	٠	•	•	•	٠	•	•	•	•	•	٠			٠	•	٠	•	•	•	•	•	
		smooth 96"	•	•	•	•	•	٠	٠	٠	•	•	•	٠	•			٠	•	٠	•	•	•	•	•	
		textured 96"	•	•	•	•	• *	•	•	٠	•	•	•	٠	•			•	•	•	•	•	•	٠	•	
		30" (all colors)	•	٠	٠	•	•	٠	٠	•	•	٠	•	•	٠				٠	٠	٠	•	•	•	٠	
	6 PANEL (COMMERCIAL																								
	Commercial	smooth 80"										•	٠	٠	•	٠										
	10" Bottom Rail	smooth 84"										•	•	•	•	•										

	PASSAGE														BIFOLDS									
FLUSH SERIES	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"		
80", 84" & 96" Heights																								
HARDBOARD																								
Primed	•	٠	•	•	٠	٠	٠	٠	٠	٠	•	٠	•	•	•	•	•	•	•	•	•	•		
VENEER																								
Oak, Birch, Hardwood	٠	•	•	٠	٠	٠	٠	٠	٠	•	٠	٠	•	٠	٠	•	٠	•	•	•	•	•		

*Thinner outer style will not affect functionality. Double doors and bifolds are not recommended. Due to manufacturing processes, a 1/8" tolerance is acceptable on horizontal lines.

Note: 48", 60" & 72" bifolds are achieved by doubled 24", 30" & 36" bifolds.

Molded Panel Series & Masonite Select* Collection Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability. "Molded Panel actually measures 1'7-13/16".



www.midambuilding.com

Mid Am Building Supply, Inc.

1615 Omar Bradley Drive Moberly, MO 65270 Phone: 660.263.2140 Toll Free: 800.892.5850

503 Madison Street Chillicothe, MO 64601 Phone: 660.646.4120 Toll Free: 800.369.2969

20301 W. 207th Street Spring Hill, KS 66083 Phone: 913.592.4313 Toll Free: 800.432.2503

300 E. Harvey Place Mt. Pleasant, IA 52641 Phone: 319.385.8747 Toll Free: 800.258.5809

601 S. Anna Wichita, KS 67209 Phone: 316.942.0389 Toll Free: 800.833.7147

2425 S. Wabash Street Centralia, IL 62801 Phone: 618.532.5265 Toll Free: 866.755.7636



100% OF CUSTOMERS PREFER SAFE 'N SOUND.*

*Qualitative research conducted in 2013.

See inside for more details.



Masonite", "Masonite. The Beautiful Door,"", Max', Safe 'N Sound', Emerald', Bellagio", Berkley", Capri', Cheyenne", Hamel", Heritage", Lincoln Park", Logan', Melrose", Palazzo Series", Palazzo', Riverside', Saddlebrook", Treviso", West End Collection" and Winslow" are trademarks of Masonite International Corporation. Doors made using patents 6,588,162 (US), 5,543,234 (US) and 2,151,989 (CA). Additional Patents Pending. Our continuing program of product improvement makes specification, design and product detail subject to change without notice.

1/16 PRINTED IN THE USA

© 2016 Masonite International Corporation

www.masonite.com

9 a.m. to 5 p.m.

1-800-663-DOOR (1-800-663-3667)

Monday through Friday, EST

